



Features of ThinkVision T34w-30 Monitor



Sharp, immersive display

The ThinkVision T34w-30 Monitor's 3-side NearEdgeless bezel design with an immersive 34-inch WQHD curved display envelopes your attention and focus with a larger-than-life clarity for efficient multitasking. Its captivating 3440 x 1440 resolution enriches picture quality and lets you in on all the finer details, backed by a 99% sRGB color gamut that displays brilliant, true-to-life colors. A 21:9 aspect ratio gives you rich panoramic views, while a 1500R curvature displays a consistent focal length across the screen. Natural Low Blue Light technology curbs harmful blue light emissions without color distortions and reduces visual fatigue and strain making your viewing experience as delightful and comfortable as it can be.

ThinkVision T34w-30 Monitor

A wide curve for multitasking mastery.

Smarter technology for all

A wider view for enhanced productivity.

Get ready to take your efficiency to the next level with the ThinkVision T34w-30 Monitor's 3-side NearEdgeless, immersive 34-inch WQHD curved display that draws you in, while its 3440 x 1440 resolution lets you take in all the finer details. A 21:9 aspect ratio delivers a panoramic experience, while a 1500R curvature delivers a consistent focal length across the screen. The large screen real-estate and curvature make sharing finer details with your teams easy and improves your focus and productivity as well. The monitor is a treat for the eyes with rich, vivid colors brought to life by a 99% sRGB color gamut. It cares for your vision too with Natural Low Blue Light technology that reduces harmful blue light emissions without color distortions. The ThinkVision T34w-30 Monitor is designed for efficiency with a host of connectivity options including a USB Type-C¹ (up to 75W PD²), HDMI and DP ports, modular VoIP support for a video conferencing or audio with Al-enhanced MC60 and MS30 ports, and efficient network management with MAPT, PXE, and WOL (S3-S5). The ThinkColour software solution that can be easily deployed by Endpoint³ allows users quick control of display attributes, to help maximize productivity. The monitor's enhanced lift range gives it more flexibility to meet the working posture you find most comfortable. The lowest position gets lower to give you even more viewing comfort. It accommodates an open-slot phone holder that also supports tablets of different sizes to put all your screens within view, while cleaner cable management adds to a clutter-free desk. If you're looking for a cleaner desk, you can VESA mount this monitor too. The monitor's one-button joystick for guick access to display controls puts accessibility at your fingertips. You'll be pleased to know that the ThinkVision T34w-30 Monitor meets the ecological and health standards of TCO 9.0 regulations and comes packed in recyclable paper cushioning that's safe for the environment too.





Productivity par excellence

Make your workstation a hub of productivity with a range of connectivity options that make the ThinkVision T34w-30 Monitor quick and efficient. Connect and power-up swiftly and efficiently with the one-cable USB-C¹ up-to 75W PD² port that enables dynamic power distribution with connected devices. Network connectivity becomes faster, more stable and safer too with ethernet support that includes MAPT, PXE, and WOL (S3-S5). Dedicated HDMI and DP ports let you connect efficiently. The ThinkColour software solution that can be easily deployed by Endpoint³ ensures you get quick control of display attributes, accurate and easy color settings, simple management between multiple files, documents and media, and smarter technology to maximize productivity. A dedicated and cableless USB Type-A port at the top facilitates a modular VoIP solution - ThinkVision VoIP Stack⁴ (MC60 Monitor Webcam, MS30 Monitor Soundbar) enables incredible video conferencing experiences.

Ergonomically and environmentally advanced

Enhanced ergonomics make working on the ThinkVision T34w-30 Monitor delightfully comforting. It also comes with enhanced ergonomic features, including up to 155 mm height adjustability, -5°/23.5° tilt range, and -45°/45° swivel angle, so you can work the way you feel comfortable, without compromise. An open phone slot, tablet holder, and cleaner cable management provisions give you a clutter-free desk. A simple one-button joystick puts control at your fingertips with easy access to display settings. The ThinkVision T34w-30 is also serious about sustainability as it is designed to meet the TCO 9.0 ecological and health standards. What's more, it is delivered in recyclable green paper packaging making it as environmentally friendly as it is user-friendly.

¹ USB Type-C^{*} and USB-C^{*} are registered trademarks of USB Implementers Forum. |² Listed as maximum capacity of power delivery. Actual capacity of power delivery may vary depending upon devices connected or monitor configuration, and may decline with downstream USB ports connected or higher brightness setting. |³ Endpoint: Microsoft Endpoint Configuration Manager. |⁴ Sold separately.

ThinkVision T34w-30 Monitor

Display

Panel Size 34-inch

Screen Dimensions 803.2 mm x 357.9 mm

Panel Type 3-side NearEdgeless, VA

Active Area 792.2 mm x 333.7 mm

Curvature 1500R

Backlight WLED

Aspect Ratio 21:9

Resolution 3440 x 1440

Pixel Pitch 0.232 mm x 0.232 mm

Dot/Pixel Per Inch (DPI/PPI) 110

Viewing Angle (H x V @ CR 10:1) 178° / 178°

Response Time 4ms (Extreme Mode), 6ms (Normal Mode)

Refresh Rate 60Hz

Brightness (Typical) 350 cd/m²

Contrast Ratio (Typical) 3000:1

Dynamic Contrast Ratio (Typical) 3M:1

Color Gamut (Coverage Ratio) 99% sRGB

Color Gamut (Color Area Ratio) 126% sRGB **Color Support (Typical)** 16.7 Million

Color Depth 8-bit

Anti-Glare Yes

Connectivity

Video Signal 1 x USB Type-C¹ (DP 1.4 Alt Mode) 1 x HDMI 2.0 1 x DP 1.4 (HBR2)

Audio Signal 1 x Audio Out (3.5 mm)

USB Hub Yes

Ethernet Yes (10M/100M/1000M)

USB Upstream 1 x USB 3.2 Gen 1² Type-C¹

USB Downstream 4 x USB 3.2 Gen 1² Type-A (1 x BC1.2)

Multimedia

Modular Camera/Speaker Support Yes (Optional Support³)

Special Features

Software Lenovo ThinkColour (Lenovo Display Control Center)⁴

Natural Low Blue Light Yes

Bezel Color Raven Black Bezel Width (Side)

Power

< 0.5W

< 0.3W

Internal

(Pon/ETEC)

30.0W / 93.0kWh

USB Type-C¹ (DP Alt Mode)

AC 100 to 240 V (50-60Hz)

Power Supply

Power Deliverv⁵

Voltage Required

Mechanical

-5° / 23.5°

-45° / 45°

155 mm

Yes

Yes

Lift (Max Range)

Tilt Angle (Front / Back)

VESA Mount Capability

Yes (100 x 100 mm)

Cable Management

Kensington Lock Slot

Swivel Angle (Left / Right)

Up to 75W

Yes

Smart Power

31.0W / 130.0W

Power Consumption (Typ. / Max)

Power Consumption Sleep/Off Mode

Power Consumption Switch-Off Mode

ENERGY STAR Power Consumption

2.1 mm

Bezel Width (Top / Bottom) 2.1 / 22.8 mm

Dimension

Size Packed (D x H x W) (mm/inch) 525.0 x 187.0 x 1070.0 mm 20.67 x 7.36 x 42.13 inches

Size Unpacked w/ Stand (Highest Position) (D x H x W) (mm/inch) 231.6 x 569.3 x 808.4 mm 9.12 x 22.41 x 31.83 inches

Size Unpacked w/ Stand (Lowest Position) (D x H x W) (mm/inch) 231.6 x 414.3 x 808.4 mm 9.12 x 16.31 x 31.83 inches

Size Unpacked w/o Stand (Head Only) (**D** x H x W) (mm/inch) 110.1 x 367.5 x 808.4 mm 4.33 x 14.47 x 31.83 inches

Weight Packed (kg / lb) 14.8 kg / 32.6 lbs

Weight Unpacked (kg / lb) 9.5 kg / 20.9 lbs

Weight (Monitor Head Only) (kg / lb) 7.0 kg / 15.4 lbs

What's in the Box

Monitor with Stand Yes

Power Cable (Cable Length) 1 x Power Cable (1.8 m)

DP Cable (Cable Length) 1 x DP Cable (1.8 m) for PRC WS⁶

USB Cable (Cable Length) 1 x USB Type-C¹ to Type-C¹ Cable (1.8 m)

Quick Setup Guide Yes

Warranty Booklet Yes

Certification

ENERGY STAR Certification

Yes

CCC Yes

2.0

TCO 9.0

TCO Edge

EPEAT Gold

Volatile Organic Compound Certification Yes

RoHS (2011/65/EU) Yes

Windows Certification Windows 10, Windows 11

China Energy Efficiency Standard Tier 1

TÜV Rheinland Eye Comfort Yes

TÜV Low Blue Light (Hardware Solution) Yes

Eyesafe Display Certification Yes







Windows



* A few specs may vary depending upon the actual production.

¹ USB Type-C^{*} and USB-C^{*} are registered trademarks of USB Implementers Forum. | ² Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: 5 Gbit/s for USB 3.2 Gen 1; 10 Gbit/s for USB 3.2 Gen 2 & 20 Gbit/s for USB 3.2 Gen 2x2. | ³ Compatible with ThinkVision VoIP Stack MC60 Monitor Webcam and MS30 Monitor Soundbar. | ⁴ This software can only be used with Windows 10 & Windows 11. | ⁵ Listed as maximum capacity of power delivery. Actual capacity of power delivery may vary depending upon devices connected or monitor configuration, and may decline with downstream USB ports connected or higher brightness setting. | ⁶ Workstations.

© 2022 Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warrantes, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, U.S.A, Attr: Dept. ZPYA/8600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, ThinkVision, and ThinkColour are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other company, product, and service names may be trademarks or service marks of others.

Specifications may vary depending upon region.

Smarter technology for all **SNOV**